

Rig Fleet Inventory

Advanced Drilling Solutions



PARKER AVAILABLE RIGS

As your partner in Wellbore Construction, our experience in Rig Management and Integrated Services makes us the preferred choice of Drilling Contractor for the global oil and gas industry. From our strategically positioned owned rigs to rigs available through our strategic collaborations, we offer an unparalleled variety of rigs and a hallmark depth and breadth of expertise to support global drilling operations.

Contact: rigsavailable@parkerwellbore.com for additional information.

AC Rigs Above 1500HP

RIG	LOCATION	RIG TYPE	HORSEPOWER	HOOK LOAD	BUILD OR REFURBISH DATE	ESG FEATURE	WALKING SYSTEM	MUD SYSTEM PRESSURE
269	Iraq / Kurdistan	AC	2,800	1,000,000	2007	Upgradable	Walking System	5,000psi
265	Iraq / Kurdistan	AC	2,000	1,000,000	2006	Upgradable	Upgradable	5,000psi
270	Russia	AC	2,800	1,000,000	2007	Upgradable	Walking System	5,000psi
272	Alaska	AC	1,800	750,000	2011	High Line Power	Wheeled System	5,000psi
273	Alaska	AC	1,800	750,000	2011	High Line Power	Wheeled System	5,000psi

SCR Rigs 1500HP and Below

107	Kazakhstan	SCR	1,500	750,000	1999	Upgradable	Upgradable	5,000psi
30B Barge	US GOM	SCR	1,500	750,000	2013	Upgradable	Barge Rig	5,000psi

SCR Rigs Above 1500HP

51 Barge	US GOM	SCR	2,000	1,000,000	2008	Upgradable	Barge Rig	5,000psi
54 Barge	US GOM	SCR	2,000	1,330,000	2011	Upgradable	Barge Rig	5,000psi
55 Barge	US GOM	SCR	2,000	1,330,000	2013	Upgradable	Barge Rig	7,500psi
72 Barge	US GOM	SCR	3,000	1,300,000	2005	Upgradable	Barge Rig	5,000psi
76 Barge	US GOM	SCR	3,000	1,500,000	2009	Upgradable	Barge Rig	7,500psi
77 Barge	US GOM	SCR	3,000	2,000,000	2006	Upgradable	Barge Rig	7,500psi
257 Barge	Caspian	SCR	3,000	1,300,000	2010	Upgradable	Barge Rig	7,500psi
165	Mexico	SCR	3,000	1,300,000	2007	Upgradable	Upgradable	5,000psi
256	Mexico	SCR	3,000	1,500,000	2007	Upgradable	Upgradable	5,000psi
122	Mexico	SCR	2,000	1,000,000	2008	Upgradable	Upgradable	5,000psi
249	Kazakhstan	SCR	3,000	1,500,000	2009	Upgradable	Upgradable	7,500psi
258	Kazakhstan	SCR	3,000	1,500,000	2009	Upgradable	Upgradable	7,500psi
216	Kazakhstan	SCR	2,000	1,250,000	2009	Upgradable	Upgradable	5,000psi
247	Iraq / Kurdistan	SCR	2,000	1,000,000	2013	Upgradable	Upgradable	5,000psi

* For sale contact: rigsavailable@parkerwellbore.com for additional information.

PARKER MANAGED RIGS

AC Rigs 1500HP and Below

RIG	LOCATION	RIG TYPE	HORSEPOWER	HOOK LOAD	BUILD OR REFURBISH DATE	ESG FEATURE	WALKING SYSTEM	MUD SYSTEM PRESSURE
75PT	United States	AC	1,500	750,000	2012	Bi-Fuel	Upgradable	7,500psi
76PT	United States	AC	1,500	750,000	2012	Bi-Fuel	Upgradable	7,500psi
77PT	United States	AC	1,500	750,000	2012	Bi-Fuel	Upgradable	7,500psi
78PT	United States	AC	1,500	750,000	2012	Bi-Fuel	Upgradable	7,500psi
81PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
82PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
83PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
84PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
85PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
86PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
87PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
88PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
89PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
90PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
91PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
92PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
93PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
94PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
95PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
96PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
97PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
98PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
99PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
100PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
101PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
102PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
103PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
104PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
105PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
106PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
107PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
108PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
109PT	United States	AC	1,500	750,000 - 1,000,000	2012	Bi-Fuel	Walking System	5,000psi
112PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
113PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
114PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
115PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
116PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
117PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
65PT	United States	AC	1,000	500,000	2010	Upgradable	Walking System	5,000psi

PARKER MANAGED RIGS

AC Rigs 1500HP and Below

RIG	LOCATION	RIG TYPE	HORSEPOWER	HOOK LOAD	BUILD OR REFURBISH DATE	ESG FEATURE	WALKING SYSTEM	MUD SYSTEM PRESSURE
118PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
119PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
120PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
121PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
122PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
123PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
124PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
125PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
126PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
127PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
128PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
129PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
130PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
131PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
132PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
133PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
134PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
135PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
136PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
137PT	United States	AC	1,500	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi

AC Rigs Above 1500HP

136PT	United States	AC	2,000	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi
137PT	United States	AC	2,000	700,000 - 750,000	2015	Bi-Fuel	Walking System	5,000psi

SCR Rigs 1500HP and Below

26PT	United States	SCR	1,500	750,000 - 1,330,000	2005	Bi-Fuel	Skidding System	7,500psi
27PT	United States	SCR	1,500	750,000 - 1,330,000	2005	Bi-Fuel	Skidding System	7,500psi
28PT	United States	SCR	1,500	750,000 - 1,330,000	2005	Bi-Fuel	Skidding System	7,500psi
29PT	United States	SCR	1,500	750,000 - 1,330,000	2005	Bi-Fuel	Skidding System	7,500psi
30PT	United States	SCR	1,500	750,000 - 1,330,000	2005	Bi-Fuel	Skidding System	7,500psi
31PT	United States	SCR	1,500	750,000 - 1,330,000	2005	Bi-Fuel	Skidding System	7,500psi
32PT	United States	SCR	1,500	750,000 - 1,330,000	2005	Bi-Fuel	Skidding System	7,500psi
33PT	United States	SCR	1,500	750,000 - 1,330,000	2005	Bi-Fuel	Skidding System	7,500psi
34PT	United States	SCR	1,500	750,000 - 1,000,000	2005	Upgradable	Skidding System	7,500psi

PARKER MANAGED RIGS

SCR Rigs 1500HP and Below

RIG	LOCATION	RIG TYPE	HORSEPOWER	HOOK LOAD	BUILD OR REFURBISH DATE	ESG FEATURE	WALKING SYSTEM	MUD SYSTEM PRESSURE
35PT	United States	SCR	1,500	750,000 - 1,000,000	2005	Upgradable	Skidding System	7,500psi
36PT	United States	SCR	1,500	750,000 - 1,000,000	2005	Upgradable	Skidding System	7,500psi
37PT	United States	SCR	1,500	750,000 - 1,000,000	2005	Upgradable	Skidding System	7,500psi
38PT	United States	SCR	1,500	750,000 - 1,000,000	2005	Upgradable	Skidding System	7,500psi
39PT	United States	SCR	1,500	833,000 - 1,000,000	2005	Upgradable	Walking System	7,500psi
40PT	United States	SCR	1,500	833,000 - 1,000,000	2005	Upgradable	Walking System	7,500psi
41PT	United States	SCR	1,500	833,000 - 1,000,000	2005	Upgradable	Walking System	7,500psi
42PT	United States	SCR	1,500	833,000 - 1,000,000	2005	Upgradable	Walking System	7,500psi
25PT	United States	SCR	1,500	750,000 - 1,330,000	2005	Bi-Fuel	Skidding System	7,500psi
25PT	United States	SCR	1,500	750,000 - 1,330,000	2005	Bi-Fuel	Skidding System	7,500psi
24PT	United States	SCR	1,400	1,000,000	2005	Upgradable	Upgradable	5,000psi
23PT	Canada	SCR	1,300	572,000	2005	Bi-Fuel	Walking System	7,500psi
22PT	Canada	SCR	1,300	572,000	2005	Bi-Fuel	Walking System	7,500psi
20PT	Canada	SCR	1,300	660,000	2005	Upgradable	Upgradable	5,000psi
21PT	Canada	SCR	1,300	572,000	2005	Bi-Fuel	Walking System	7,500psi
17PT	United States	SCR	1,200	750,000	2005	Upgradable	Walking System	7,500psi
18PT	United States	SCR	1,200	750,000	2005	Upgradable	Walking System	7,500psi
19PT	United States	SCR	1,200	750,000	2005	Upgradable	Walking System	7,500psi
2PT	United States	SCR	1,000	750,000	2005	Upgradable	Upgradable	7,500psi
3PT	United States	SCR	1,000	750,000	2005	Upgradable	Upgradable	7,500psi
4PT	United States	SCR	1,000	750,000	2005	Upgradable	Upgradable	7,500psi
5PT	United States	SCR	1,000	600,000	2006	Upgradable	Skidding System	5,000psi
6PT	United States	SCR	1,000	750,000	2005	Upgradable	Walking System	7,500psi
7PT	United States	SCR	1,000	750,000	2005	Upgradable	Walking System	7,500psi
8PT	United States	SCR	1,000	750,000	2005	Upgradable	Walking System	7,500psi
9PT	United States	SCR	1,000	750,000	2009	Bi-Fuel	Walking System	5,000psi
10PT	United States	SCR	1,000	750,000	2009	Bi-Fuel	Walking System	5,000psi
11PT	United States	SCR	1,000	750,000	2009	Bi-Fuel	Walking System	5,000psi
12PT	United States	SCR	1,000	750,000	2009	Bi-Fuel	Walking System	5,000psi
13PT	United States	SCR	1,000	750,000	2009	Bi-Fuel	Walking System	5,000psi
14PT	United States	SCR	1,000	750,000	2009	Bi-Fuel	Walking System	5,000psi
15PT	United States	SCR	1,000	750,000	2009	Bi-Fuel	Walking System	5,000psi
16PT	United States	SCR	1,000	750,000	2009	Bi-Fuel	Walking System	5,000psi
54PT	United States	SCR	1,000	750,000	2010	Natural Gas	Walking System	5,000psi
55PT	United States	SCR	1,000	750,000	2010	Natural Gas	Walking System	5,000psi
56PT	United States	SCR	1,000	750,000	2010	Natural Gas	Walking System	5,000psi
57PT	United States	SCR	1,000	650,000 - 768,000	2010	Bi-Fuel	Walking System	5,000psi
58PT	United States	SCR	1,000	650,000 - 768,000	2010	Bi-Fuel	Walking System	5,000psi
59PT	United States	SCR	1,000	650,000 - 768,000	2010	Bi-Fuel	Walking System	5,000psi
60PT	United States	SCR	1,000	650,000 - 768,000	2008	Upgradable	Walking System	5,000psi
1PT	Canada	SCR	750	500,000	2005	Upgradable	Upgradable	5,000psi

PARKER MANAGED RIGS

SCR Rigs 1500HP and Below

RIG	LOCATION	RIG TYPE	HORSEPOWER	HOOK LOAD	BUILD OR REFURBISH DATE	ESG FEATURE	WALKING SYSTEM	MUD SYSTEM PRESSURE
71PT	United States	SCR	1,500	750,000	2009	Bi-Fuel	Upgradable	7,500psi
72PT	United States	SCR	1,500	750,000	2009	Bi-Fuel	Upgradable	7,500psi
73PT	United States	SCR	1,500	750,000	2009	Bi-Fuel	Upgradable	7,500psi
74PT	United States	SCR	1,500	750,000	2009	Bi-Fuel	Upgradable	7,500psi
79PT	United States	SCR	1,500	750,000	2008	Bi-Fuel	Walking System	5,000psi
80PT	United States	SCR	1,500	750,000	2008	Bi-Fuel	Walking System	5,000psi
109PT	United States	SCR	1,500	1,000,000	2011	Bi-Fuel	Walking System	7,500psi
110PT	United States	SCR	1,500	1,000,000	2011	Bi-Fuel	Walking System	7,500psi
111PT	United States	SCR	1,500	1,000,000	2011	Bi-Fuel	Walking System	7,500psi
304U	United States	SCR	1,500	1,000,000	2017	Upgradable	Upgradable	5,000psi
66PT	United States	SCR	1,400	750,000 - 1,000,000	2009	Bi-Fuel	Walking System	5,000psi
67PT	United States	SCR	1,400	750,000 - 1,000,000	2009	Bi-Fuel	Walking System	5,000psi
68PT	United States	SCR	1,400	750,000 - 1,000,000	2009	Bi-Fuel	Walking System	5,000psi
69PT	United States	SCR	1,400	750,000 - 1,000,000	2009	Bi-Fuel	Walking System	5,000psi
70PT	United States	SCR	1,400	750,000 - 1,000,000	2009	Bi-Fuel	Walking System	5,000psi
61PT	United States	SCR	1,000	650,000 - 768,000	2008	Upgradable	Walking System	5,000psi
62PT	United States	SCR	1,000	650,000 - 768,000	2008	Upgradable	Walking System	5,000psi
63PT	United States	SCR	1,000	650,000 - 768,000	2008	Upgradable	Walking System	5,000psi
64PT	United States	SCR	1,000	650,000 - 768,000	2008	Upgradable	Walking System	5,000psi

PARKER MANAGED RIGS

SCR Rigs Above 1500HP

RIG	LOCATION	RIG TYPE	HORSEPOWER	HOOK LOAD	BUILD OR REFURBISH DATE	ESG FEATURE	WALKING SYSTEM	MUD SYSTEM PRESSURE
43PT	United States	SCR	1,700	1,000,000	2005	Upgradable	Skidding System	5,000psi
44PT	United States	SCR	2,000	1,000,000	2005	Bi-Fuel	Walking System	5,000psi
45PT	United States	SCR	2,000	1,000,000	2005	Bi-Fuel	Walking System	5,000psi
46PT	United States	SCR	2,000	1,000,000	2005	Bi-Fuel	Walking System	5,000psi
47PT	United States	SCR	2,000	1,000,000	2005	Bi-Fuel	Walking System	5,000psi
48PT	United States	SCR	2,000	1,000,000 - 1,300,000	2005	Bi-Fuel	Upgradable	5,000psi
49PT	United States	SCR	2,000	1,000,000 - 1,300,000	2005	Bi-Fuel	Upgradable	5,000psi
50PT	United States	SCR	2,000	1,000,000 - 1,300,000	2005	Bi-Fuel	Upgradable	5,000psi
51PT	United States	SCR	2,000	1,000,000 - 1,300,000	2005	Bi-Fuel	Upgradable	5,000psi
52PT	United States	SCR	2,000	1,000,000 - 1,300,000	2005	Bi-Fuel	Upgradable	5,000psi
53PT	United States	SCR	2,500	1,300,000	2005	Upgradable	Upgradable	5,000psi
138PT	United States	SCR	2,000	750,000 - 1,000,000	2010	Bi-Fuel	Walking System	7,500psi
139PT	United States	SCR	2,000	750,000 - 1,000,000	2010	Bi-Fuel	Walking System	7,500psi
140PT	United States	SCR	2,000	750,000 - 1,000,000	2010	Bi-Fuel	Walking System	7,500psi
141PT	United States	SCR	2,000	750,000 - 1,000,000	2010	Bi-Fuel	Walking System	7,500psi



Energy. Well engineered.

2103 CityWest Blvd., Suite 400 | Houston, Texas 77042 | parkerwellbore.com

